


How to use of the gear-shift.

How to use of the gear-shift of the Super ECT installation car.


1.8L car(FF car)

Working of gear-shift



● How to use of the sequential shift mode.

- How to sequential shift mode to switch




The gear-shift becomes a sequential shift mode, and it is clear. The changing the speed steps can be switched by + side or operating Gearbar on the side. -

The Sequentially Shiftomatic display light lights when changing to the sequential shift mode. (Refer to P.259.)-

The gear-shift and the sequential shift mode are made clear, and it returns to a usual control.


- Method of shift change



Move the gear-shift to + side when you do the shift improvement.

Move the gear-shift to the side when you do the down of the shift. -

It changes the speed by one step whenever the gear-shift is operated.



- The shift position that has been selected between 1-4 is displayed in the shift position display light. (Refer to P.256.)

- Working of each shift position

4

Divide from one velocity into the gear of four-speed automatic according to the speed and the running condition.

3

Divide into the gear from 1 velocity to 3 velocities automatic according to the speed and the running condition. -

A light engine brake is obtained in the downward slope. -

A smooth running that the changing the speed frequency is a little can be done in the acclivity.

2

Divide into the gear at one velocity or two velocities automatic according to the speed and the running condition. -

Use it when the engine brake is necessary.

1

The gear is fixed at one velocity. -

Use it when a strong engine brake is necessary.



Knowledge

The gear-shift 綺から緝 About the shift position display of ..decrease.. Ki when it substitutes it

The gear-shift 綺から絲にすると 筋 However, it is displayed.

Contents



Warning

Basic
causes, operationDriving
Handling
deviceThe
Handling indoor
equipmentgood. Safety
of
To
theory, controls
and
equipmentHow
to
attentionassociate driving
car

Maintenance

Myriad
One(D)と
with

Index

About the warning buzzer

There is a limitation in the shift operation to secure the driving performance for safety, and it is likely not to be shifted to hoped the changing the speed steps. The warning buzzer rings when the down of the shift by the shift operation is not done.

It is abnormally lucky of the system.

The gear-shift 絲When neither nor the Shekenshalshiftomaticc display light lightAbnormality of the system is thought. Receive the check at once in the Toyota shop. In this case, the gear-shift綺It becomes the same control as.

About the safety feature

Shift lock system

The system that prevents the gear-shift of the automatic car being mis-operated. -

The gear-shift if you did not step on the brake pedal 緘It twines and Re bar cannot be operated.

蘆When the engine switch is ACC or LOCK, it is not possible to operate it even if stepping on the brake pedal.

蘆It is not likely to be able to operate it when stepping on the brake pedal with the gear-shift knocked down to the passenger's seat side. Operate it previously depressing the brake pedal.

- 緘The key doesn't come off in things except the engine switch.

蘆When you pull out the key from the engine switch緘Give to me. (緘The key is AC. It is not possible to spend from C in LOCK.)

- 緘And the buzzer ring.

蘆The buzzer rings. 緘It informs those who drive of.

蘆The person outside the car must not hear of the sound. (No warning sound to the person outside the car.)

How to use of the shift lock release button.

The gear-shift : by any chance. 緘Use it when it twines and you cannot operate it. -

Make the engine switch ACC with stepping on the brake pedal, and operate the lever while pushing the shift lock release button. -

The breakdown in the shift lock system etc. is thought, and receive the check at once in the Toyota shop.

MEMO

Contents



Warning

Basic
controls, operation

Driving
Handling
device

The
Handling indoor
equipment

Good Safety
of
To
theory/vehicle
and
equipment


How
to
attention
associate driving
car

Maintenance

Myriad
One/D
C
m/c

Index

Working of gear-shift






Handling of gear-shift

- Operation of gear-shift

綾と 綺 The operation of ..drinking.. Ida is F as for the brake pedal.
Go after completely stopping the car of seeing.



With stepping on the brake pedal, Change
Move the lever along the gate.



The gear-shift along the gate そのま
ま Move it.



Knowledge

About the safety

Shift lock system

The system that prevents the gear-shift of the automatic car being mis-operated. -

The gear-shift if you did not step on the brake pedal 綾It twines and Re bar cannot be operated.

葎When the engine switch is ACC or LOCK, it is not possible to operate it even if stepping on the brake pedal.

葎It is not likely to be able to operate it when stepping on the brake pedal with the gear-shift knocked down to the passenger's seat side. Operate it previously depressing the brake pedal.

- 綾The key doesn't come off in things except the engine switch.

葎When you pull out the key from the engine switch綾Give to me. (綺The key is AC.
It is not possible to spend from C in LOCK.)

- 緘And the buzzer ring.

葎The buzzer rings. 緘It informs those who drive of.

葎The person outside the car must not hear of the sound. (No warning sound to the person outside the car.)

How to use of the shift lock release button.

The gear-shift : by any chance. 綾Use it when it twines and you cannot operate it. -

Make the engine switch ACC with stepping on the brake pedal, and operate the lever while pushing the shift lock release button. -

The breakdown in the shift lock system etc. is thought, and receive the check at once in the Toyota shop.