



4. Attention of SRS air bag

Defend the following matter about the SRS air bag. In the worst case, it reaches important injury if it doesn't guard or, it is likely to lead to the death.

滴The SRS air bag is a device that assists the seat belt, and no one to take the place of the seat belt.


In the worst case, the effect of the SRS air bag might not be able not only to be demonstrated enough when colliding if it sits on the seat by the good posture, and the seat belt is not worn correctly but also it reaches important injury by a strong impact when the SR S air bag swells or, lead to the death.

Refer to P.196 for a correct wearing the seat belt.

- Adjust the seat at a correct position, and sit on the seat by correct posture that the back also applied the back to the drip.
- The high impact is received when the SRS air bag swells when it gets on the development department of the SRS air bag by the cover guess worth and posture that approaches too much and it is dangerous.

. driving person's person .


Make it not approach the steering wheel too much as much as possible within the range where the driving operation can be done and sit.



. passenger's seat crew's person .

Sit on one after it parts from passenger's seat SRS air bag as much as possible. Do not sit on the edge, and do not lean against the Instrument panel in front of the seat.

About the adjustment and the good posture of the seatRefer t o P . 1 5 4 .



Warning

4.

Atención

of
S
R

S
air
bag


bag




- Do not run with the one put as the one is held on the knee between the crew and the SRS air bag.
- It flies the one when the SRS air bag swelled and it strikes the face, and normal operation of the SRS air bag is disturbed and it is dangerous.



- Start not leaning against the door, and do not approach the reception desk center rear pillar and the roof side part. (SRS side air bag & SRS curtain shield air bag installation car)
- The high impact is received to the head etc. when the SRS air bag swells and it is dangerous. Especially, be careful when the child is taken.



- Do not run in the state that makes the child stand in front of passenger's seat SRS air bag, and holds on the knee.
- The high impact is received when the SRS air bag swells and it is dangerous.



4.

Attention

of
SRS
air
bag




⚠ Guard the following at the maintenance work of the vehicle.

The SRS air bag might not operate normally, and it swells by mistake, it reaches important injury or, in the worst case, it lead to the death if it doesn't defend. -

Consult the Toyota shop when the SRS air bag and the Instrument panel are detached, are installed, taken apart, and you repair.

The SRS air bag doesn't operate normally, and when improper work is done, it swells by mistake and is dangerous.



- Consult the Toyota shop in the SRS side air bag installation car when detaching, the installation, the resolution, and the repair of repapering and the reception desk seat of the epidermal of the reception desk seat are necessary. Moreover, do not remodel the reception desk seat.

- Do not resolve and do not repair the detaching surrounding of the reception desk center rear pillar, the roof side part, and the ceiling of the SRS of the installation etc. air bag storage part in the SRS curtain shield air bag installation car.



Warning

4.


Attention

of
S
RS
air


bag



- Do not remodel the suspension.
The SRS air bag mis-operates when height changes or the hardness of the suspension changes and it is dangerous.



- Consult the Toyota shop when you repair the front of the vehicle or the vehicle guest room. The impact transmitted to the SRS air bag sensor changes if an improper repair is done, the SRS air bag doesn't operate normally, and it is dangerous.



Warning

4.

Attention

of
SRS
air
bag




⚠ Guard the following when you install the car articles etc.

The SRS air bag might not operate normally, and it swells by mistake, it reaches important injury or, in the worst case, it lead to the death if it doesn't defend. -

Do not cover the development department of the SRS air bag with the cover and the sticker, etc.


The SRS air bag doesn't operate normally and it is dangerous.




- Do not put the one of the aromatic substance etc. on the Instrument panel and the dashboard, and do not lean the umbrella etc. It flies passenger's seat SRS air bag when normally it doesn't operate or the SRS air bag swells and it is dangerous.



- In the SRS side air bag installation car, do not install the one other than a Toyota pure articles (seat cover etc.) only for this car in the reception desk seat. If the SRS air bag development department is covered with the one other than a Toyota pure articles only for this car, it becomes an obstruction of normal operation of the SRS air bag. Often read the manual of the attachment, and install it in the commodity correctly when you install the Toyota pure seat cover etc.



- In the SRS side air bag installation car, do not install the car articles such as the cup holders in the reception desk door and the circumference. It flies when the SRS air bag swells and is dangerous.



Warning

4.


Atención

of
S
R
S
air
bag




- In the SRS curtain shield air bag installation car, install accessories or neither hands-free mike nor the suspender, etc. around the SRS air bag development department such as the reception desk window glass, the reception desk door glass, the reception desk center rear pillar, the roof side part, assist grip, and ceilings. It flies when the SRS curtain shield air bag swells and is dangerous.

SRS air bag development department



- The electric wave etc. of the wireless machine might negatively affect the computer that operates the SRS air bag, mis-operate the SRS air bag, and are dangerous. Consult the Toyota shop when you install the wireless machine etc.

- Consult the Toyota shop when you install the grill guard and the winch, etc. in the front of the vehicle. The impact transmitted to the SRS air bag sensor changes if the front of the vehicle is remodeled, the SRS air bag mis-operates, and it is dangerous.



Warning

4.



Attention

of
S
R
S
air
bag



潜 Do not beat the SRS air bag development department strongly.

- Do not overpower as the SRS air bag development department like the steering wheel pad (driver's seat SRS air bag), the upper part of the Instrument panel (passenger's seat SRS air bag), the reception desk center rear pillar, the roof side part (SRS curtain shield air bag), and the reception desk seat side (SRS side air bag), etc. is strongly beaten. The SRS air bag doesn't operate normally, and it reaches important injury or, in the worst case, it is likely to lead to the death.



潜 It is not necessary to touch the SRS air bag composition parts immediately after the SRS air bag's having swollen.



- Important injury such as the burns might be received because complete parts are very hot and it is dangerous.

Warning
4.
Atención
of
S
R
S
air
bag



5. Attention of ABS brake assistance

Defend the following matter about the ABS brake assistance. It might lead to the important injury related to an unexpected accident and the life if it doesn't guard and is dangerous.

滴 Be overconfident in neither ABS nor the brake assistance.

- There are limits in the control of slipping and how of the steering wheel to work, and an impossible driving might cause an unexpected accident and is dangerous also in the state that ABS and the brake assistance operate. Neither ABS nor the brake assistance are overconfident, the speed is suppressed, the distance between two cars is taken enough, and ..safe driving.. bear it in mind.
 - 蘆 When the grip limit of the tire is exceeded or hydroplaning * happens, ABS cannot demonstrate the effect.
 - Phenomenon to generate water film by high speed operation etc. of rain between tire and road, and to lose earth power.
- ABS is not a device to shorten the slip distance for brake.

In the following cases, the slip distance for brake might become long compared with the vehicle where ABS is not attached. Do the speed with unassuming modesty and take the distance between two cars enough.

 - 蘆 When you run on the gravel walk and the new snow road.
 - 蘆 When you install the tire chain.
 - 蘆 When you get over the difference such as seams on the road.
 - 蘆 When you run in the irregularity road and the bad road of stone.
- The brake assistance is not a device that draws out the performance that exceeds an ability the brake original. The vehicle and the distance between two cars, etc. are very noted and ..safe driving.. bear it in mind.



6. Attention of TRC. VSC

Defend the following matter
about TRC. VSC.

It might lead to the important injury related
to an unexpected accident and the life if it doesn't
guard and is dangerous.

滴 Be not overconfident in TRC.

- There is a limit in securing the direction stability of the vehicle, and an impossible driving might cause an unexpected accident and is dangerous also in the state that TRC operates. Drive especially carefully when it always bears in mind, and the slipping display light (Refer to P.258) blinks to the safe driving.

滴 Be not overconfident in VSC.

- There is a limit in securing the direction stability of the vehicle, and an impossible driving might cause an unexpected accident and is dangerous also in the state that VSC operates. Drive especially carefully when always it bears in mind, the VS C operation warning buzzer (discontinuous sounds) rings or the slipping display light (Refer to P.258) blinks to the safe driving.



Warning

6.
T
R
C

Attention

of
V
S
C